

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	"ouchi, akihiro".in.	US-PGPUB; USPAT	OR	OFF	2005/08/22 16:10
L2	2297	345/173.ccls.	US-PGPUB; USPAT	OR	OFF	2005/08/22 16:10
L3	419	345/173.ccls. and handwrit\$3	US-PGPUB; USPAT	OR	OFF	2005/08/22 16:11
L4	246	345/173.ccls. and handwrit\$3 and storage	US-PGPUB; USPAT	OR	OFF	2005/08/22 16:11
L5	4	345/173.ccls. and handwrit\$3 and storage and later near8 transmission	US-PGPUB; USPAT	OR	OFF	2005/08/22 16:11

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S79	8753	network and transmission and test and temporary and storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 13:54
S80	2932	network and transmission and test and temporary near5 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 13:55
S81	343	network near10 test and transmission and temporary near5 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 13:55
S82	355	network near10 test and connection and temporary near5 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 13:55
S83	51	network near10 test same connection and temporary near5 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 13:59
S84	0	network and connection and failure and temporar near3 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:00
S85	2896	network and connection and failure and temporary near3 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:00
S86	122	network same connection same failure and temporary near3 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:01
S87	0	network same connection same failure same temporary near3 storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:00
S88	115	network same connection same failure and reestablish and storage	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:17
S89	106	network same connection same failure and reestablish and store	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:17
S90	488	(connection communication) same failure and reestablish and store	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:17
S91	13	(connection communication) same failure and reestablish same store	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:21
S92	61	(connection communication) same failure same store and reestablish	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:32
S93	59	link near3 monitor and failure and "fault tolerance"	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:36
S94	468	"input device" and connection and "fault tolerance"	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:36
S95	386	"input device" and connection and "fault tolerance" and store	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:36
S96	34	"input device" and connection and "fault tolerance" same store	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:38
S97	362	peripheral and connection and store and reestablish and failure	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:39

S98	147	input same peripheral and connection and store and reestablish and failure	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:40
S99	100	"data loss" and reestablish and connection	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:40
S100	18	"data loss" and reestablish and connection and input near3 device	US-PGPUB; USPAT	OR	OFF	2005/07/12 14:40
S101	40	("4926414" "4975914" "5027269" "5027316" "5089958" "5146452" "5155842" "5167010" "5175847" "5210746" "5235599" "5237677" "5278977" "5301309" "5307354" "5363503" "5379278" "5390326" "5414817" "5420917" "5426770" "5426773" "5444693" "5444695" "5457556" "5463764" "5481699" "5483637" "5586937" "5594861" "5613060" "5627964" "5649136" "5664088" "5682471").PN. OR ("5835698"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 14:41
S102	1	"5243331".pn.	US-PGPUB; USPAT	OR	OFF	2005/07/12 15:20
S103	18	("3675208" "3792462" "4725830" "4812832" "4937778").PN. OR ("5243331"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:22
S104	162	fault adj tolerance and connection and reestablish and failure	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:22
S105	0	fault adj tolerance and connection and reestablish and failure and "prevent data loss"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:23
S106	733	"prevent data loss"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:23
S107	435	"prevent data loss" and connection	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:23
S108	12	"prevent data loss" and connection and reestablish	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:23
S109	17	"prevent data loss" and connection and (reestablish reconnect)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:23

S11 0	35	"prevent data loss" and connection and (reestablish reconnect reopen reinitialize)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:26
S11 1	200	input adj device and data adj loss and link and failure	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:26
S11 2	21	input adj device and data adj loss and link and failure and (reestablish reconnect)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:26
S11 3	25	("4501931" "4633436" "5063600" "5179655" "5274362" "5325110" "5343220" "5420607" "5565657").PN. OR ("5790114").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:37
S11 4	0	input adj device and connection adj montior	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:38
S11 5	114	input adj device and connection adj monitor	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:38
S11 6	80	input adj device and connection adj monitor and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:42
S11 7	604	input adj device and link near5 (monitor test evaluate)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:43
S11 8	394	input adj device and link near5 (monitor test evaluate) and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:43
S11 9	206	input adj device and link near5 (monitor test evaluate) and store and (failure disconnect broken)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 15:44
S12 0	15	input adj device and link near5 (monitor test evaluate) and store and (failure disconnect broken) and (reconnect reestablish)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:17
S12 1	48	connection near3 reestablish and input adj device and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:28
S12 2	901	input adj device and local near5 storage and connection and transmit near6 data	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:28
S12 3	5	input adj device and local near5 storage and connection near5 test and transmit near6 data	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:31
S12 4	173922	input adj device and connection neaer4 (test evaluate) and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:31

S12 5	327	input adj device and connection near4 (test evaluate) and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:31
S12 6	327	input adj device and connection near4 (test evaluate) and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:53
S12 7	54681	handheld near5 scanner and connection and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:53
S12 8	325	handheld near5 scanner and connection and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:55
S12 9	3	handheld near5 scanner and connection near4 (test evaluate)and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:55
S13 0	3	handheld near5 scanner and connection near4 (test evaluate) and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:56
S13 1	0	handheld near5 scanner and link near4 test and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 16:57
S13 2	245	handheld near5 scanner and network and connection and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 17:14
S13 3	28	handheld near5 scanner and network and connection and disconnected and store	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/12 17:14
S13 4	1	"6595420".pn.	USPAT	OR	OFF	2005/08/07 12:16
S13 5	1	"5808285".pn.	USPAT	OR	OFF	2005/08/07 12:16
S13 6	45	("3793636" "3806131" "3826900" "3953798" "3991389" "4005388" "4016532" "4090135" "4115662" "4184116" "4232299" "4247908" "4251798" "4415065" "4418277" "4460120" "4588881" "4639606" "4672658" "4751500" "4789983" "4829540" "4841132" "4850009" "4870391" "4916441" "4933538" "5029183" "5157687" "5189291" "5250790" "5329106" "5334821" "5340971" "5340973" "5404001").PN. OR ("5808285").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:34

S13 7	112	host near3 detection and backup and input	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:35
S13 8	6	host near3 detection and backup and input and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:34
S13 9	35	host near3 detection and input and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:42
S14 0	149	(host connection) near3 detection and input and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:42
S14 1	39	(host connection) near3 detection and input and handheld and buffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:46
S14 2	1005	connection near4 failure and buffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:46
S14 3	79	connection near4 failure same buffer	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:48
S14 4	1	connection near4 failure same buffer and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:46
S14 5	54	connection near4 failure same buffer and input	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:54
S14 6	1430	connection near5 fail\$4 and (buffer backup store) same input	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:54
S14 7	4207	connection near5 fail\$4 and (buffer backup store) same (input data information)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:55
S14 8	268	test same connection near5 fail\$4 and (buffer backup store) same (input data information)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:56
S14 9	7	test same connection near5 fail\$4 and (buffer backup store) same (input data information) and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:55
S15 0	50	test same connection near5 fail\$4 and (buffer backup store) same (input data information) and wireless	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:58
S15 1	749	connection near4 monitor and buffer same input	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 13:01

S15 2	13	connection near4 monitor and buffer same input and handheld	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/07 12:58
S15 3	731	connection near4 monitor and buffer same input	US-PGPUB; USPAT	OR	OFF	2005/08/07 13:01
S15 4	51	connection near4 monitor and buffer same input near4 device	US-PGPUB; USPAT	OR	OFF	2005/08/07 13:02
S15 5	10	handheld near5 input adj device and (connection link communication) near5 (test\$4 monitor\$4 fail\$3) and (buffer\$3 backup stor\$4)	US-PGPUB; USPAT	OR	OFF	2005/08/07 13:04
S15 6	108	transmission near10 backup same connection	US-PGPUB; USPAT	OR	OFF	2005/08/16 16:17
S15 7	26	transmission near10 backup same connection same (test failure error)	US-PGPUB; USPAT	OR	OFF	2005/08/16 16:17
S15 8	52	("4751702" "4958270" "5093782" "5138710" "5155678" "5170480" "5276871" "5379418").PN. OR ("5615364").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 16:40
S15 9	5	connection same reestablish same backup same (failure error)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 16:31
S16 0	2481	later near3 transmission and connection and (error failure)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 16:41
S16 1	356	later near3 transmission and connection and (error failure) and input adj device	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 16:44
S16 2	50	(backup store) same later near3 transmission and connection and (error failure) and input adj device	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/16 16:44